



# Intimidator Wash Zoom 450 IRC

Intimidator Wash Zoom 450 IRC is a powerful moving head wash fitted with twelve 20 W quad-color RGBW LEDs and a motorized zoom for short-throw or longthrow applications. Other convenient features include a Totem mode that keeps beams aimed at the dance floor and eye-catching auto programs with zone control. Wireless (non-DMX control is possible using the optional IRC-6 remote. Up to four fixtures can be linked to create synchronized shows in automated, sound and master/slave modes. Fits best in the [CHS-50 VIP Gear Bag](#).



# Highlights

- Feature-packed compact moving head wash fitted with 20 W quad-color RGBW LEDs
- Beams always remain on the dance floor using the built-in, innovative Totem mode
- Set, save, and recall 1 scene manually directly from the full-color LCD display
- Link up to 4 fixtures to create eye-catching, synchronized shows in Automated or Sound modes
- Convenient, wireless non-DMX control using the optional IRC-6 remote
- Motorized zoom for short-throw or long-throw applications
- Generate complex looks easily with built-in, eye-catching auto programs with zone control
- Simple navigation and a full text readout with the full-color LCD screen
- Save time running cables by power linking multiple units
- Generate a synchronized show in Master/Slave mode with easy-to-access, built-in automated programs
- Fits best in the CHS-50 VIP Gear Bag

## Specifications

- DMX Channels: 14, or 29
- DMX Connectors: 3-pin XLR
- Pan and Tilt: 540°/270°
- Pan and Tilt Ranges: 540°, 360°, 180° pan/270°, 180°, 90° tilt
- Light Source: 12 LEDs (quad-color RGBW) 20 W (3.7 A), 50,000 hours life expectancy
- Strobe Rate: 0 to 20 Hz
- PWM Frequency: 1,200 Hz
- Illuminance: (7°): 21,560 lux @ 2 m (34°): 2,320 lux @ 2 m
- Power Linking: 4 units @ 120 V; 8 units @ 230 V
- Input Voltage: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Power and Current: 219 W, 1.9 A @ 120 V, 60 Hz 207 W, 1 A @ 230 V, 50 Hz
- Zoom Angle: 7° to 34°
- Weight: 15.8 lb (7.2 kg)
- Size: 7.6 x 10.9 x 14.3 in (194 x 277 x 363 mm)
- Approvals: CE
- Optional Controllers: IRC-6

## What's Included

- Power cord
- Hanging bracket with mounting hardware
- Warranty card
- Quick Reference Guide